



ISPA3292.ST25.txt  
SEQUENCE LISTING

RECEIVED  
OCT 23 2001  
TECH CENTER 1600/2900

<110> Nielsen, Peter E.  
Good, Liam

<120> Peptide Nucleic Acids Having Antibacterial Activity

<130> ISPA3292

<140> 09/486,623

<141> 2000-07-06

<150> PCT/US98/19199

<151> 1998-09-16

<150> 08/932,140

<151> 1997-09-16

<160> 27

<170> PatentIn version 3.1

<210> 1

<211> 14

<212> DNA

<213> Artificial Sequence

<220>

<223> Novel Sequence

<400> 1

tgaccatgat tacg

14

<210> 2

<211> 17

<212> DNA

<213> Artificial Sequence

<220>

<223> Novel Sequence

<400> 2

tacgtgtttc ctgtgtg

17

<210> 3

<211> 17

<212> DNA

<213> Artificial Sequence

<220>

<223> Novel Sequence

<400> 3

gagtattcaa catttcc

17

<210> 4

<211> 17

<212> DNA

<213> Artificial Sequence

<220>

<223> Novel Sequence

<400> 4  
attgtcttcc tttttca

17

<210> 5  
<211> 15  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Novel Sequence

<220>  
<221> misc\_feature  
<222> (1)..(14)  
<223> Modified site. N-acetyl (2-aminoethyl) glycine  
backbone

<220>  
<221> misc\_feature  
<222> (15)..(15)  
<223> Modified site. N-[ acetyl (2-aminoethyl)]-C-lysine-  
glycine backbone

<400> 5  
ggtcatagct gtttc

15

<210> 6  
<211> 15  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Novel Sequence

<220>  
<221> misc\_feature  
<222> (1)..(14)  
<223> Modified site. N-acetyl (2-aminoethyl) glycine  
backbone

<220>  
<221> misc\_feature  
<222> (15)..(15)  
<223> Modified site. N-[ acetyl (2-aminoethyl)]-C-lysine-  
glycine backbone

<400> 6  
tactcatact cttcc

15

<210> 7  
<211> 15  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Novel Sequence

<220>  
 <221> misc\_feature  
 <222> (1)..(14)  
 <223> Modified site. N-acetyl (2-aminoethyl) glycine  
 backbone

<220>  
 <221> misc\_feature  
 <222> (15)..(15)  
 <223> Modified site. N- [acetyl (2-aminoethyl)]-C-lysine-  
 glycine backbone

<400> 7  
 gaatactcat actct

15

<210> 8  
 <211> 15  
 <212> DNA  
 <213> Artificial Sequence

<220>  
 <223> Novel Sequence

<220>  
 <221> misc\_feature  
 <222> (1)..(14)  
 <223> Modified site. N-acetyl (2-aminoethyl) glycine  
 backbone

<220>  
 <221> misc\_feature  
 <222> (15)..(15)  
 <223> Modified site. N-[acetyl (2-aminoethyl)]-C-lysine-glycine  
 backbone

<400> 8  
 acgccacatc ttgcg

15

<210> 9  
 <211> 15  
 <212> DNA  
 <213> Artificial Sequence

<220>  
 <223> Novel Sequence

<220>  
 <221> misc\_feature  
 <222> (1)..(1)  
 <223> Modified site. N-acetyl (2-aminoethyl) glycine  
 backbone

<220>  
 <221> misc\_feature  
 <222> (2)..(4)  
 <223> Modified site. N-pseudo isocytosine-acetyl (2-aminoethyl) glycine  
 backbone

<220>  
 <221> misc\_feature  
 <222> (5)..(6)  
 <223> Modified site. N-acetyl (2-aminoethyl) glycine  
 backbone

<220>  
 <221> misc\_feature  
 <222> (7)..(7)  
 <223> Modified site. N-pseudo iscoytosine-acetyl (2-aminoethyl) glycine  
 backbone

<220>  
 <221> misc\_feature  
 <222> (8)..(8)  
 <223> Modified site.  
 (O-2-aminoethyl-O'-acetyl-ethyleneglycol), (O-2-aminoethyl-O'-ace  
 tyl-ethyleneglycol), (O-2-aminoethyl-O'acetyl-ethyleneglycol)

<220>  
 <221> misc\_feature  
 <222> (9)..(14)  
 <223> Modified site. N-acetyl (2-aminoethyl) glycine  
 backbone

<220>  
 <221> misc\_feature  
 <222> (15)..(15)  
 <223> Modified site. N-[acetyl (2-aminoethyl)]-C-lysine-glycine  
 backbone

<400> 9  
 tnnnttnnct tccct

15

<210> 10  
 <211> 15  
 <212> DNA  
 <213> Artificial Sequence

<220>  
 <223> Novel Sequence

<220>  
 <221> misc\_feature  
 <222> (1)..(1)  
 <223> Modified site. N-pseudo isocytosine-acetyl (2-aminoethyl)  
 gliycine backbone

<220>  
 <221> misc\_feature  
 <222> (2)..(4)  
 <223> Modified site. N-acetyl (2-aminoethyl) glycine  
 backbone

<220>  
 <221> misc\_feature  
 <222> (5)..(6)  
 <223> Modified site. N-pseudo isocytosine-acetyl (2-aminoethyl)  
 glycine backbone

<220>  
 <221> misc\_feature  
 <222> (7)..(7)  
 <223> Modified site. N-acetyl (2-aminoethyl) glycine  
 backbone

<220>  
 <221> misc\_feature  
 <222> (8)..(8)  
 <223> Modified site.  
 (O-2-aminoethyl-O'-acetyl-ethyleneglycol), (O-2-aminoethyl-O'acety  
 l-ethyleneglycol), (O-2-aminoethyl-O'acetyl-ethyleneglycol)

<220>  
 <221> misc\_feature  
 <222> (9)..(14)  
 <223> Modified site. N-acetyl (2-aminoethyl) glycine  
 backbone

<400> 10  
 ntttnntntc ctttc

15

<210> 11  
 <211> 15  
 <212> DNA  
 <213> Artificial Sequence

<220>  
 <223> Novel Sequence

<220>  
 <221> misc\_feature  
 <222> (1)..(14)  
 <223> Modified site. N-acetyl (2-aminoethyl) glycine  
 backbone

<220>  
 <221> misc\_feature  
 <222> (15)..(15)  
 <223> Modified site. N-[acetyl (2-aminoethyl)] -C-lysine-  
 glycine backbone

<400> 11  
 catactcttt ctcct

15

<210> 12  
 <211> 25  
 <212> DNA  
 <213> Artificial Sequence

<220>

<223> Novel Sequence

<220>

<221> misc\_feature

<222> (1)..(2)

<223> Modified site. N-acetyl (2-aminoethyl) glycine backbone

<220>

<221> misc\_feature

<222> (3)..(3)

<223> Modified site. N-pseudo isocytosine-acetyl (2-aminoethyl) glycine backbone

<220>

<221> misc\_feature

<222> (4)..(4)

<223> Modified site. N-acetyl (2-aminoethyl) glycine backbone

<220>

<221> misc\_feature

<222> (5)..(7)

<223> Modified site. N-pseudo isocytosine-acetyl (2-aminoethyl) glycine backbone

<220>

<221> misc\_feature

<222> (8)..(10)

<223> Modified site. N-acetyl (2-aminoethyl) glycine backbone

<220>

<221> misc\_feature

<222> (11)..(11)

<223> Modified site. N- pseudo isocytosine-acetyl (2-aminoethyl) glycine backbone

<220>

<221> misc\_feature

<222> (12)..(12)

<223> Modified site.  
(O-2-aminoethyl-O'acetyl-ethyleneglycol), (O-2-aminoethyl-O'acetyl-ethyleneglycol), (O-2-aminoethyl-O'-acetyl-ethyleneglycol)

<220>

<221> misc\_feature

<222> (13)..(24)

<223> Modified site. N-acetyl (2-aminoethyl) glycine backbone

<220>

<221> misc\_feature

<222> (25)..(25)

<223> Modified site. N- [acetyl (2-aminoethyl)]-C-lysine-glycine backbone

<400> 12  
ttntnnnttt ntntctttcc gtctt

25

<210> 13  
<211> 15  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Novel Sequence

<220>  
<221> misc\_feature  
<222> (1)..(1)  
<223> Modified site. N- pseudo isocytosine-acetyl (2-aminoethyl)  
glycine backbone

<220>  
<221> misc\_feature  
<222> (2)..(2)  
<223> Modified site. N-acetyl (2-aminoethyl) glycine  
backbone

<220>  
<221> misc\_feature  
<222> (3)..(3)  
<223> Modified site. N- pseudo isocytosine-acetyl (2-aminoethyl)  
glycine backbone

<220>  
<221> misc\_feature  
<222> (4)..(4)  
<223> Modified site. N-acetyl (2-aminoethyl) glycine  
backbone

<220>  
<221> misc\_feature  
<222> (5)..(6)  
<223> Modified site. N- pseudo isocytosine-acetyl (2-aminoethyl)  
glycine backbone

<220>  
<221> misc\_feature  
<222> (7)..(7)  
<223> Modified site. N-acetyl (2-aminoethyl) glycine  
backbone

<220>  
<221> misc\_feature  
<222> (8)..(8)  
<223> Modified site.  
(O-2-aminoethyl-O'acetyl-ethyleneglycol), (O-2-aminoethyl-O'acety  
l-ethyleneglycol), (O-2-aminoethyl-O'-acetyl-ethyleneglycol)

<220>  
<221> misc\_feature

<222> (9)..(14)  
 <223> Modified site. N- [acetyl (2-aminoethyl) ]-C-lysine-  
 glycine backbone

<220>  
 <221> misc\_feature  
 <222> (15)..(15)  
 <223> Modified site. N-[ acetyl (2-aminoethyl) ]-C-lysine-  
 glycine backbone

<400> 13  
 ntntnntntc ctctc

15

<210> 14  
 <211> 12  
 <212> DNA  
 <213> Artificial Sequence

<220>  
 <223> Novel Sequence

<220>  
 <221> misc\_feature  
 <222> (1)..(11)  
 <223> Modified site. N- acetyl (2-aminoethyl) glycine  
 backbone

<220>  
 <221> misc\_feature  
 <222> (12)..(12)  
 <223> Modified site. N-[acetyl (2-aminoethyl)]-C-lysine-  
 glycine backbone

<400> 14  
 cccctattgt cc

12

<210> 15  
 <211> 12  
 <212> DNA  
 <213> Artificial Sequence

<220>  
 <223> Novel Sequence

<220>  
 <221> misc\_feature  
 <222> (1)..(11)  
 <223> Modified site. N-acetyl (2-aminoethyl)  
 glycine backbone

<220>  
 <221> misc\_feature  
 <222> (12)..(12)  
 <223> Modified site. N-[acetyl (2-aminoethyl) ]-C-lysine-  
 glycine backbone

<400> 15



ttctgccttt ct

12

<210> 16  
<211> 8  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Novel Sequence

<220>  
<221> misc\_feature  
<222> (1)..(7)  
<223> Modified site. N-acetyl (2-aminoethyl) glycine backbone

<220>  
<221> misc\_feature  
<222> (8)..(8)  
<223> Modified site. N-[ acetyl (2-aminoethyl) ]-C-lysine-glycine backbone

<400> 16  
ctcgaggt

8

<210> 17  
<211> 5  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Novel Sequence

<220>  
<221> misc\_feature  
<222> (1)..(4)  
<223> Modified site. N-acetyl (2-aminoethyl) glycine backbone

<220>  
<221> misc\_feature  
<222> (5)..(5)  
<223> Modified site. N-[acetyl (2-aminoethyl)]-C-lysine-glycine backbone

<400> 17  
taaac

5

<210> 18  
<211> 10  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Novel Sequence

<220>  
<221> misc\_feature

<222> (1)..(9)  
 <223> Modified site. N-acetyl (2-aminoethyl) glycine backbone

<220>  
 <221> misc\_feature  
 <222> (10)..(10)  
 <223> Modified site. N-[acetyl (2-aminoethyl)]-C-lysine-glycine backbone

<400> 18  
 aaggaggtga

10

<210> 19  
 <211> 15  
 <212> DNA  
 <213> Artificial Sequence

<220>  
 <223> Novel Sequence

<220>  
 <221> misc\_feature  
 <222> (1)..(7)  
 <223> Modified site. N-acetyl (2-aminoethyl) glycine backbone

<220>  
 <221> misc\_feature  
 <222> (8)..(8)  
 <223> Modified site.  
 (O-2-aminoethyl-O'acetyl-ethyleneglycol), (O-2-aminoethyl-O'acetyl-ethyleneglycol), (O-2-aminoethyl-O'-acetyl-ethyleneglycol)

<220>  
 <221> misc\_feature  
 <222> (9)..(14)  
 <223> Modified site. N-acetyl (2-aminoethyl) glycine backbone

<220>  
 <221> misc\_feature  
 <222> (15)..(15)  
 <223> Modified site. N-[acetyl (2-aminoethyl) ]-C-lysine-glycine backbone

<400> 19  
 tctctttntt tctct

15

<210> 20  
 <211> 15  
 <212> DNA  
 <213> Artificial Sequence

<220>  
 <223> Novel Sequence

<220>  
 <221> misc\_feature  
 <222> (1)..(1)  
 <223> N- acetyl (2-aminoethyl) glycine  
 backbone

<220>  
 <221> misc\_feature  
 <222> (2)..(2)  
 <223> Modified site. N- pseudo isocytosine-acetyl (2-aminoethyl)  
 glycine backbone

<220>  
 <221> misc\_feature  
 <222> (3)..(7)  
 <223> Modified site. N-acetyl (2-aminoethyl) glycine  
 backbone

<220>  
 <221> misc\_feature  
 <222> (8)..(8)  
 <223> Modified site.  
 (O-2-aminoethyl-O'acetyl-ethyleneglycol), (O-2-aminoethyl-O'acety  
 l-ethyleneglycol), (O-2-aminoethyl-O'-acetyl-ethyleneglycol)

<220>  
 <221> misc\_feature  
 <222> (9)..(14)  
 <223> N- acetyl (2-aminoethyl) glycine  
 backbone

<220>  
 <221> misc\_feature  
 <222> (15)..(15)  
 <223> Modified site. N- [acetyl (2-aminoethyl)]-C-lysine-  
 glycine backbone

<400> 20  
 tntntttntt tctct

15

<210> 21  
 <211> 15  
 <212> DNA  
 <213> Artificial Sequence

<220>  
 <223> Novel Sequence

<220>  
 <221> misc\_feature  
 <222> (1)..(14)  
 <223> Modified site. N-acetyl (2-aminoethyl) glycine  
 backbone

<220>  
 <221> misc\_feature  
 <222> (15)..(15)

<223> Modified site. N-[acetyl (2-aminoethyl)]-C-lysine-glycine backbone

<400> 21  
aggtgtcagc gaacg

15

<210> 22  
<211> 15  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Novel Sequence

<220>  
<221> misc\_feature  
<222> (1)..(14)  
<223> Modified site. N-acetyl (2-aminoethyl) glycine backbone

<220>  
<221> misc\_feature  
<222> (15)..(15)  
<223> Modified site. N-[acetyl (2-aminoethyl)]-C-lysine-glycine backbone

<400> 22  
ctttgtcgat actgg

15

<210> 23  
<211> 14  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Novel Sequence

<220>  
<221> misc\_feature  
<222> (1)..(14)  
<223> Modified site. N-acetyl (2-aminoethyl) glycine backbone

<400> 23  
gtcatagctg tttc

14

<210> 24  
<211> 11  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Novel Sequence

<220>  
<221> misc\_feature  
<222> (1)..(11)  
<223> Modified site. N- acetyl (2-aminoethyl) glycine

## backbone

<400> 24  
 catagctgtt c 11

<210> 25  
 <211> 10  
 <212> DNA  
 <213> Artificial Sequence

<220>  
 <223> Novel Sequence

<220>  
 <221> misc\_feature  
 <222> (1)..(10)  
 <223> Modified site. N-acetyl (2-aminoethyl) glycine backbone

<400> 25  
 tagctgtttc 10

<210> 26  
 <211> 8  
 <212> DNA  
 <213> Artificial Sequence

<220>  
 <223> Novel Sequence

<220>  
 <221> misc\_feature  
 <222> (1)..(8)  
 <223> Modified site. N-acetyl (2-aminoethyl) glycine backbone

<400> 26  
 gctgtttc 8

<210> 27  
 <211> 15  
 <212> DNA  
 <213> Artificial Sequence

<220>  
 <223> Novel Sequence

<220>  
 <221> misc\_feature  
 <222> (1)..(14)  
 <223> Modified site. N-acetyl (2-aminoethyl) glycine backbone

<220>  
 <221> misc\_feature  
 <222> (15)..(15)  
 <223> Modified site. N-[acetyl (2-aminoethyl) ]-C-lysine-glycine backbone

ISPA3292.ST25.txt

<400> 27  
acattcacca ccctg

15